FAM Solutions

Invest in Comfort

2018 **FAM Solutions Pte Ltd**
Ergonomic Office Furniture Accessories Supplier

FAM Solutions Pte Ltd
31 Woodlands Close #03-18, Woodlands Horizon, Singapore 737855
Office: +65 6754 8447   Fax: +65 6754 8247
E-mail: sales@famsolutions.com.sg
www.famsolutions.com.sg

Ergo a life, not just ergo a living

Company Profile

Background to the Company's Establishment

Today, IT products have become vital to human existence, with desktop and laptop PCs and LCD monitors occupying a particularly important place in people's daily lives. As these products have come into more and more widespread use, the risk of occupational injury has risen too. Extended periods of computer keyboard and mouse use can lead to wrist and elbow injuries; failure to adjust screen height, distance from the user and viewing angle can lead to stiffness in the neck and spine, back pain, and even spinal deformation, and can also have a negative impact on users' eyesight.

FAM Solutions was founded in early 200 with the vision of providing PC peripheral products that would help to reduce or eliminate the risk of computer-related health problems.

A typical office worker spends eight hours a day or more in the office. A key element in our corporate mission is finding ways to enable office workers to enjoy a comfortable office environment, which at the same time will also help to improve their working efficiency. Our products can help you to re-organize your and make more effective use of the desk space available to you in the office.

Protecting the environment is also an important part of our mission. All of our products are made using environmentally-friendly materials that conform to the European Union's RoHS environmental directive. Our production facility is Business Social Compliance Initiative (BSCI) compliant; we have done our utmost to fulfill our responsibilities as a good corporate citizen that seeks to make a meaningful contribution towards protecting the planet.

Corporate Vision: To become the most outstanding R&D and manufacturing services provider in the ergonomics industry, working together with our partner companies and our customers to build a competitive, industry-leading team.
Core Corporate Values: Innovation, Environmental Protection, Quality, Health, Sustainable Development

Patents and Awards

FAM Solutions Pte Ltd attaches great importance of innovation and R&D, and has been awarded patents in Europe, the U.S., Japan and China. As part of our efforts to enhance product value-added, we participate actively in international design competitions, and in 2008 were the recipients of Germany's IF (International Forum Design) Product Design Award. In addition, several of our products have been awarded the Certificate of Good Design Product (GD) Mark from the Taiwan Design Center.

CHARGING CARTS

FAMCCT-10

- Store, Secure, Sync and charge tablets <10.1"
- 3 years on-site warranty
- Store, Secure, Sync and Charge (Tablet Only)
- Cable Management: Yes
- Shelves Type: Sliding Tray
- Accessories: User Manual x 1, UK Power Cord x 1
  - USB Type A to B x 1, Door Key x 1
- Optional Accessories: Premium Castor Wheels, Wall Mount Bracket

Tablet

Device Capacity	Support Device	Slot Size	Cabinet Dimension	Package Dimension
10	Tablet up to 10"	10/8/6units(adjustable) 6: H52*W242*D280 8: H37*W242*D280 10: H28*W242*D280	H: 430mm / 16.9" W:400 mm / 15.7" D: 350mm / 13.7"	H:560mm/22 " W:525mm/20.6 " D:470mm/18.5 "

Charging Type	LED Indicator	Devider Type	Net Weight	Power Specification
USB	Status LED 10	Metal Bar	15.6KG / 35.8LB **Gross Weight** 18KG / 41LB	AC: 100-120V/220-240V, 50/60Hz DC 5V, 2.4A for each USB port

Wheel Size: 2 inch/50*50mm
_2PCS with Brake+2PCS with out Brake

Cabinet 2

Cabinet 1

Introduction

As more tablets are being deployed in classrooms, businesses and retail spaces, providing a convenient and secure storage location to sync and charge is very important. The FAMCCT-10 charging cart was manufactured to be compact and stylish. It takes away the bulky image of a charging cart. Stackable options are available to support more tablets. It can support up to 10 tablets per cart lesser than 10.1".

Compact Size:

18.5 x 20.9 x 21.8 inches

Daisy-Chain Hub use

Stack up to 2 cabinets, and sync up to 20 tablets with a separate USB hub.

HUB

Product Advantage:

➤ Adjustable shelves allows for tablets in their protective rugged cases

➤ Slide-in door for space saving

➤ Stackable design(2 Cabinet Fix)

➤ Individual LED status indicators (Green for full charge, Red for charging, Green/Red flash syncing).

Security and Durable:

It comes with three-way locking system and solid metal body structure to prevent theft and damage to your most valuable assets.

three –way locking

FAMCCT-32

- Store, Secure, Sync and charge tablets <13.1"
- 3 years on-site warranty
- Store, Secure, Sync and Charge (Tablet Only)
- <13.1" Tablet
- Cable Management: Yes
- Shelves Type: Fixed Shelf
- Accessories: User Manual x 1, UK Power Cord x 1
             USB Type A to B x 1, Key x 2
- Optional Accessories: DC Fan (12V/06A)

Details – Cable Management

Rear View

USB Port

Sync and Charge Cart

Specification:

Compatibility	IOS_Apple + Android BC 1.2 SPEC
Storage Capacity	32
Dimension	W820 x D550 x H926 mm (32.28"x 21.65" x 36.46")
Slot Size	W21 x D350 x H290 mm (0.83" x 13.77" x 11.41")
LED Indicator	32
Power Rating	Input: AC100~120V, 50/60Hz, 12A AC220~240V, 50/60Hz, 10A DC Output: DC 5V/2.4A for each USB port
Charge mode	Internal USB charge port External 3 extra power outlets
Safety Certificate	cUL / TUV
EMC	CE/FCC
Weight	N.W. 75 kgs ; G.W. 85 kgs

Features

✓ Charge Sync and Store Cart for School and Public Place Use.

✓ Designed to Charge up to 32 Tables. (for both iOS and Android)

✓ 0.83" (W) x 13.7" (D) x 11.4" (H) of slot size can hold most Tablets in the market.

✓ Sync up to 32 iPads via an iTunes Account on an Apple Mac or a PC.

✓ LED Indicator

- LED indicator on top of the cart, showing the charging / sync status of each slot.

✓ Extra External 3 Outlets - Power All Your Peripheries from One Standard Wall Outlet.

✓ Over Current / Voltage Protection.

✓ 4 Easy Rolling Casters with Brake Locks (2 rigid / 2 swiveling).

✓ Slide-in Door for Space Saving and Convenience.

Introduction

As more tablets are being deployed in classrooms, businesses and retail spaces, providing a convenient and secure storage location to sync and charge is very important. The FAMCCT-32 charging cart was manufactured to support up to 32 pieces of tablets lesser than 13.1''. The cart uses one power cord to plug into standard wall outlet. Intelligent charging controller optimizes the total charge time while safely preventing electrical circuit overload.

Product Features

Front View

Drawer
Handle
2 Casters with Brake Lock
Casters

Front View

Vertical Placement with Plastic Divider
Slide-In Door
Ventilation Holes

Rear View

Main Power Switch
AC Power Inlet
Power Cord Winder

Top View

External 3 Port Outlet
On/Off Switch for External Power Socket
USB Sync Port * 2
LED Indicators
Rubber Pad Surface

Introduction

As more tablets are being deployed in classrooms, businesses and retail spaces, providing a convenient and secure storage location to sync and charge is very important. The FAMCCT-48 charging cart was manufactured to support up to 48 pieces of tablets. The cart uses one power cord to plug into standard wall outlet. Intelligent charging controller optimizes the total charge time while safely preventing electrical circuit overload.

FAMCCT-48

- Store, Secure, Sync and charge tablets <10.1"
- 3 years on-site warranty
- Store, Secure, Sync and Charge (Tablet Only)
- <10.1" Tablet
- Cart Dimension: 925 x 544 x 899mm
- Slot Dimension: 320 x 191 x 25mm
- 48 x LED Indicator
- Cable Management: Yes
- Shelves Type: Sliding Shelves
- Weight: 82Kgs
- Accessories: User Manual x 1, UK Power Cord x 1
      USB Type A to B x 1
- Optional Accessories: DC Fan (12V/06A), Combination Padlock

Synchronizing & LED indicator

Top Side
User can Sync/ Input data

Top Side
Charge display Indicator
RED : On charge
GREEN : Full
RED/GREEN Interchange :
Synchronizing

2 power outlet with separate breaker protection and switch control

UK Standard Available

- Power switch breaker

Product Features

Security , keep your tablet safe

- **Solid , Safety**
- Protect your tablet from stealing and damage with a magnetic locking mechanism
- User can use pad lock for front and posterior door.

Elegant, compact & durable design, saving space and easy to maneuver

- Compact size, small, and do not occupy space.
- Combination of steel and plastic for durable structure, quality look and less weight
- 5" wheels with brakes and move easily by handle.

Sliding shelves , and neat USB cable management

- 100V~240V AC Power outlet

- Put in/take out your tablet easily by sliding shelves
- USB cable management
- Cable management of power UK Standard

FAMCCL-14

- Store, Secure, Charge Tablets, Laptops, Chromebooks, Macbooks <14''
- 3 years on-site warranty
- Smart Charging Technology: Load-sensing technology directs charging power when and where it's needed most, so each notebook is charged as quickly as possible
- Power Outlets & Protection: The cart is protected by Over Current and Voltage Protection
- Cart Dimension: 760 x 410 x 400 mm
- Slot Dimension: 33.8 x 380.5 x 274.3 mm
- 1 x LED Indicator
- Cable Management: Yes
- Shelves Type: Fixed
- Output: 5V, 2.4A
- Accessories: User Manual x 1, UK Power Cord x 1, Cable Clips x 14
- Optional Accessories: Premium Castor Wheels, Wall Mount Bracket

General Specification:

Device Capacity	Support Device	Storage space	Cabinet Dimension	Package Dimension
14 bays	Chromebook/Laptop/Tablet up to 14"	H: 10.4 inch	H: 16.1 inch	H: 20.4 inch
		W: 1.36 inch	W: 30 inch	W: 35.1 inch
		D: 15 inch	D: 16.2 inch	D: 21.4 inch

Charging Type	Net Weight	Lock type	Regulatory/Certification	Power Specification
AC power strip for US, EU, AU, UK type	Weight: 27.43kg	2-way steel lock with padlock	**North America** FCC Part 15/IEC-003 UL 60950-1/cULus: CSA **Europe** EN55022 (EN55032), EN55024 LVD EN60950-1 **Australia/ N.Z** AS/NZS CISPR 22 AS/NZS 60950-1	AC: (Auto switch) 100-120V/12A 220-240V/10A

Security & durable lock with optional wall mount bracket

Security : two-way Locking

It comes with two-way locking design and solid metal body structure to prevent theft and damage to your most valuable assets

Wall Mount

When wall-mounted with our optional special design brackets to hold up more than 165 LB of weight (including device weight of 50 LB)

Introduction

As more tablets are being deployed in classrooms, businesses and retail spaces, providing a convenient and secure storage location to charge is very important. The FAMCCL-14 charging cart was manufactured to be compact and stylish. It takes away the bulky image of a charging cart. Stackable options are available to support more devices. It can support up to 14 devices per cart lesser than 14".

- Designed for Macbook, Macbook Air, Macbook Pro 13.3", Chromebook, Notebooks, & Netbooks up to 14" screen size
- Charging & Store cart with supports 1-14 Laptops, and ships configured for 14. Easily expand to 28 devices by adding and stacking another C14 charging station.
- Retractable Front Doors: Two hinged front doors on the tablet front bay open from the center and retract into the cart's side channels for neat storage.
- Door Compartments: Two locking rear panels allow access to the AC adapters (Charging Cart) and cabling.
- Complete Ventilation
- Optional casters with Brake Locks are available
- Cable Management: Internal Cable management channel clips keep power and any other cables neat and managed
- inside the cart.
- Security Features: Includes a standard front and rear door pad lock provision for securing the cart system.

Product Features

Store & charge up to 14 mobile devices

AC adapter storage & cable management

55mm power outlet space can accommodate almost all types of power adapter in the market

Optional 2" premium caster wheels with brakes

FAMCCL-32

- Store, Secure, Charge Tablets, Laptops, Chromebooks, Macbooks <15.6"
- 3 years on-site warranty
- Smart Charging Technology: Load-sensing technology directs charging power when and where it's needed most, so each notebook is charged as quickly as possible
- Power Outlets & Protection: The cart is protected by Over Current and Voltage Protection
- Cart Dimension: 1034 x 714 x 620 mm
- Slot Dimension: 262 x 34 x 389 mm
- LED Indicator
- Cable Management: Yes
- Shelves Type: Sliding Tray
- Weight: 72kgs
- Output: 5V, 2.4A
- External Power Outlets x 3
- Accessories: User Manual x 1, UK Power Cord x 1, Cable Clips x 32

Introduction

As more tablets are being deployed in classrooms, businesses and retail spaces, providing a convenient and secure storage location to charge is very important. Locking cart provides AC charging, secure storage and cord management for education, government, office, commercial, retail, industrial and healthcare sectors. This innovative cart has a large compartment with up to 32 individual, smooth edged shelves for easy, quick, and safe loading and unloading. It can support up to 32 devices per cart lesser than 15.6".

- Designed for Chromebook, Notebooks, & Netbooks up to 15.6 inch screen size
- Charging & Store cart with supports 1-32 Laptops, and ships configured for 32.
- Power Outlets & Protection: Extra External 3 Outlets provides additional Power to your peripherals from one standard wall outlet. Also the cart is protected by Over Current and Voltage Protection
- Complete Ventilation
- Casters: Four 5-inch medical grade rolling casters with Brake Locks. Casters support easy turning and moving over thresholds. Two casters can be locked into place through a foot brake pedal to prevent the cart from rolling. Two casters are rigid and two casters swivel.
- Cable Management: Internal Cable management channel clips keep power and any other cables neat and managed inside the cart.
- Security Features: Lock for securing cart
- Power Rating: AC:100-120V/220-240V, 50/60Hz, 10A

General Specification

Device Capacity	Support Device	Storage space	Cabinet Dimension	Package Dimension
32 bays	Chromebook/Laptop/Tablet up to 15.6"	H: 10.3 inch	H: 40.7 inch	H: 42.7 inch
		W: 1.34 inch	W: 28.1 inch	W: 32.4 inch
		D: 15.3 inch	D: 24.4 inch	D: 27.9 inch
Charging Type	Net Weight /Container load	Lock type	Regulatory/Certification	Power Specification
AC power strip for US, EU, AU, UK type		3 points steel lock mechanism with padlock	**North America** FCC Part 15/IEC-003 UL 60950-1/cULus: CSA **Europe** EN55022 (EN55032), EN55024 LVD EN60950-1 **Australia/ N.Z** AS/NZS CISPR 22 AS/NZS 60950-1	AC: (Auto switch) 100-120V/15A 220-240V/12A

Product Overview

Intelligent 32 bays charging cart for your mobile computing devices

- The cart is made ideally for transporting, securing, protecting and charging up to 32 your notebook. Furthermore, it is compatible to working with almost any devices of tablets, Chromebook, and laptops with a display size up to 15.6".

- The cart use one power cord to plug into a standard wall outlet. It supports two charging option models, with intelligent charging controller it can optimizes the total charge time while safely preventing electrical circuit overload, alternatively user can pick up the model without controller to charge all devices simultaneously for low power loading devices such as tablet.

- The cart provide cable management and AC adapter storage for easy one-time setup and clean cable management. Sliding shelves can access to install devices easily.

FAMCCL-32

Product Features

Elegant, compact & durable design, saving space and easy to maneuver

- Compact size, small, and do not occupy space.

- Combination of steel and plastic for durable structure, quality look and light weight

- 5" wheels with brakes and maneuvered easily by handle.

Security, keep your valuable devices safe

Solid, Safety
- Protect your valuable devices from theft and damage with a 3-point steel locking mechanism

- User can use pad lock for front and posterior door.

Sliding shelves, AC adapter storage and clean cable management

Handle your devices easily with sliding shelves

AC adaptor storage can fit for most sizes and shapes of AC adapter in the market

Simultaneous Charge

Provides simultaneous charging for up to 32 Notebooks. Rest assured that your valuable devices are covered by over current and Voltage Protection and programmable OSD charge function.

Three auxiliary power outlets for user application

- 100V~240V AC Power outlet

Support three auxiliary power outlet for UK type

On/off Power switch breaker

- Cable management of power cord

Supports UK power strip & Come With LED indicator

Support UK power outlet

55mm pitch of power outlet can accommodate most of size and shape of adapter

Top Side
Charge display Indicator
PWR : Power on
CH1~CH2 : ON Charge

Height Adjustable Desk

A height-adjustable desk or sit-stand desk can be adjusted to both sitting and standing positions. FAM height-adjustable desk comes in both motorize or hand crank. The height-adjustable desk is healthier than the sit-only desk because sitting for prolonged periods of time has been linked to detrimental health effects. FAM height-adjustable desk comes with a 3 years warranty for mechanism and 5 years warranty for the frame.

FAMHAT-BH23
(Back to Back Hand Crank)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm/s)	0.4 / Crank Turn
Frame Length (cm)	min. 115 / max. 175
Table Top Depth (cm)	min. 70 / max. 80
Capacity (kg)	80
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	~43
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-LLH23
(L Shape Left Return Hand Crank)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm)	0.4/ crank turn
Frame Length (cm)	min. 140 / max. 170
Table Top Size (cm)	W150XL150 / W150XL180
Capacity (kg)	80
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	~31.5
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-BH23U
(Back to Back U Legs Hand Crank)

Frame Colour: White

Height (cm)	min. 67 / max. 110
Stroke (cm)	43
Speed (cm/s)	0.4 / Crank Turn
Frame Length (cm)	min. 115 / max. 175
Table Top Depth (cm)	min. 70 / max. 80
Capacity (kg)	80
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	~44
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-LRH23
(L Shape Right Return Hand Crank)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm)	0.4/ crank turn
Frame Length (cm)	min. 140 / max. 170
Table Top Size (cm)	W150XL150 / W150XL180
Capacity (kg)	80
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	~31.5
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-H23
(Rectangle Hand Crank)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm)	0.4/ crank turn
Frame Length (cm)	min. 115 to max. 175
Table Top Depth (cm)	min. 70 / max. 80
Capacity (kg)	80
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	19.7
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-RH23
(Round Top Hand Crank)

Frame Colour: White

Height (cm)	min. 67 / max. 110
Stroke (cm)	43
Speed (cm)	0.4/ crank turn
Frame Length (cm)	50-60
Table Top Depth (mm)	40
Capacity (kg)	dynamic 80 / static 120
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	~16
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-H12023
(120 Degree Hand Crank)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm)	0.4/ crank turn
Frame Length (cm)	114 X114 X W40
Table Top Size (cm)	120 X 120 X W60
Capacity (kg)	80
Noise dB(A)	-
Crank Handle (Colour)	Grey
Weight/Set (kg)	TBA
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-BM23
(Back to Back Motorise)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	min. 115 / max. 175
Table Top Depth (cm)	min. 70 / max. 80
Capacity (kg)	80
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	~51
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

**FAMHAT-LLM23**
(L Shape Left Return Motorise)

Frame Colour: White

| Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	min. 140 / max. 170
Frame Width (cm)	137
Table Top Size (cm)	W150XL150 / W150XL180
Capacity (kg)	80
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	~35
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-BM23U
(Back to Back U Legs Motorise)

Frame Colour: White

Height (cm)	min. 67 / max. 110
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	min. 115 / max. 175
Table Top Depth (cm)	min. 70 / max. 80
Capacity (kg)	80
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	~52
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-LRM23
(L Shape Right Return Motorise)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	min. 140 / max. 170
Frame Width (cm)	137
Table Top Size (cm)	W150XL150 / W150XL180
Capacity (kg)	80
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	~35
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-M23
(Rectangle Motorise)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	min. 115 / max. 175
Table Top Depth (cm)	min. 70 / max. 80
Capacity (kg)	80
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	23.5
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-M12023
(120 Degree Motorise)

Frame Colour: White

Height (cm)	min. 69 / max. 112
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	114 X 114 X W40
Table Top Size (cm)	120 X 120 X W60
Capacity (kg)	80
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	~35
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-RM23
(Round Top Motorise)

Frame Colour: White

| Height (cm)	min. 68 / max. 110
Stroke (cm)	43
Speed (cm/s)	2.5
Frame Length (cm)	50 - 60
Table Top Depth (cm)	40
Capacity (kg)	dynamic 80 / static 120
Noise dB(A)	< 50
Power	110 V to 240V
Plug Type	UK/EU/US/AUS/JP
Weight/Set (kg)	~19.5
Material (Frame, Column, Foot)	Powder Coated Steel (RoHS)

FAMHAT-M53DD

Frame Colour: White

- Telescopic frame – 1150mm – 1750mm
- Electric Motorize Height Adjustable frame
- 3 Tier column
- Anti-Collision Function
- Digital Height Display and Memory Function
- Height: Min 580mm Max 1220mm
- Speed: 27mm/ sec
- Stroke: 640mm
- Table Top Depth: Min 700mm Max 800mm
- Max Weight: 80Kgs
- Noise dB(A): <50
- Power: 110V to 240V
- Frame Weight: 25.5Kgs
- Warranty: 3 years mechanism, 5 years frame

Workspace Inspiration

Dragonfly

LCD Monitor Arm

Dragonfly is emphasized how to achieve the ergonomic purpose design, a generated from a simple, natural and competitive ideas. A quick release with anti-theft function is option, where is connected to an universal/customization VESA plate. A pure shinning white body displays its allege and beauty. Not only weight indicator but also angle display are easily to be found from the upper arm as an uniqueness feature. Dragonfly could carry a monitor with 0.5kg (1.1lbs) ~ 8.5kg (18.7lbs) as a standardization specification, which almost match all the monitors. Easy to adjust the angle of lower monitor with 360° rotation by hands and a soft design idea of tool storage is also one of competitive strength. An ethereal and multiplicity is depended on widely potential demand.

Dragonfly

LCD Monitor Arm

Open

Close

① Quick release and anti-theft

③ Screen rotation friction control

Anti-theft kit

④ Screen weight indicator

② Angles indicator

⑤ Upper arm cable management

⑥ Tension adjustment

⑦ Lower arm cable management

⑧ Tool storage

⑨ 180° stop

507
359
211
463
517

Wall Mount Type
FAML7-102
W115xD538xH109~405mm

Slat Wall Mount Type
FAML7-402
W115xD538xH103~399mm

● Clamp Mount Type

● Grommet Mount Type

● FAML7-202
● FAML7-302
W115xD517xH211~507mm

● FAML7-202DK
● FAML7-302DK
W859xD115xH252~548mm

Four Channel Pole Type

● FAML8-202
● FAML8-302

● FAML7-202D
● FAML7-302D
W959xD128xH124~420mm

● FAML7-203T
● FAML7-303T
W1355xD185xH450~667mm

● Clamp Mount Type

● Clamp Mount Type (Heavy Duty)

● Grommet Mount Type

● FAML7-7024C
● FAML7-7024G
W959xD128xH700~800mm

● FAML7-7036C
● FAML7-7036G
W1355xD185xH700~860mm

LCD/TV size	Loading Range	Pan	Rotation	Tilt	Swivel	VESA	Quick Release	Lock (Antitheft kit)
≤24"	0.5 - 9.0kgs	180°	360°	+90° -40°	±40°	75x75mm 100x100mm	Yes	Option

FAML9-202

- Colour: Silver
- Type: Grommet and Clamp
- Screen weight range (1kg~9kg)
- Single monitor support with double arms linked
- Screen quick release type
- Cable Management
- Available with both 75mm and 100mm VESA brackets
- Laptop holder as an option (mounting of laptop)
- Clamp and Grommet Parts supplied together
- 180° monitor rotation, tilting +90° ~ -40°
  (screen can be tilted to flat)

Spring Mechanism

Both grommet and desk clamp mounting available

Create a clean sleek look by concealing cables from sight

Built-in spring tension gauge can be easily adjusted to fit varied weights the arm holds

Added slots for holding tools in case of possible maintenance in future

FAML9-203T

- Type: Grommet and Clamp
- Colour: Silver
- Triple monitor support with three arm stretch
- 360° monitor rotation, ± 35° tilting
- Available with both 75mm and 100mm VESA brackets
- Monitor weighing up to 8 kgs and 22"
- Constructed of aluminum, steel and translucent plastic
- Cable management
- Screen quick release type
- Clamp and Grommet Parts supplied together

Spring Mechanism

Both grommet and desk clamp mounting available

Create a clean sleek look by concealing cables from sight

Built-in spring tension gauge can be easily adjusted to fit varied weights the arm holds

Added slots for holding tools in case of possible maintenance in future

FAML9-202D

- Colour: Silver
- Type: Grommet and Clamp
- Screen weight range (1kg~9kg)
- Single monitor support with double arms linked
- Screen quick release type
- Cable Management
- Available with both 75mm and 100mm VESA brackets
- Laptop holder as an option (mounting of laptop)
- Clamp and Grommet Parts supplied together
- 180° monitor rotation, tilting +90° ~ -40°
  (screen can be tilted to flat)

FAML9-303T

- Type: Grommet and Clamp
- Colour: Silver
- Screen weight range (1kg~9kg)
- Integrated tool kit
- Single monitor support with double arms linked
- Screen quick release type
- Cable Management
- 180° monitor rotation, tilting +90° ~ -40° (screen can be tilted to flat)
- Available with both 75mm and 100mm VESA brackets
- Laptop holder as an option (mounting of laptop)
- Clamp and Grommet Parts supplied together

FAML9-8020

- Colour: Black
- Type: Grommet and Clamp
- Screen weight max 8kgs
- Double monitor support with double arms linked
- Clamp: 10-88mm
- Screen quick release type
- Cable Management
- 360° monitor rotation, tilting +40° ~ -45°
- Available with both 75mm and 100mm VESA brackets
- Laptop holder as an option (mounting of laptop)
- Clamp and Grommet Parts supplied together

FAML9-8024

- Colour: Silver
- Type: Grommet and Clamp
- Four monitor support with two arm stretch
- 360° monitor rotation, ± 35° tilting
- Available with both 75mm and 100mm VESA brackets
- Monitor weighing up to 12 kgs and 27"
- Constructed of aluminum, steel and translucent plastic
- Cable management
- Screen quick release type
- Clamp and Grommet Parts supplied together

FAML9-8036

- Colour: Silver
- Type: Grommet and Clamp
- Four monitor support with two arm stretch
- 360° monitor rotation, ± 35° tilting
- Available with both 75mm and 100mm VESA brackets
- Monitor weighing up to 12 kgs and 27"
- Constructed of aluminum, steel and translucent plastic
- Cable management
- Screen quick release type
- Clamp and Grommet Parts supplied together

FAML10-302

- Colour: Silver
- Type: Grommet and Clamp
- Single monitor support with two arm stretch
- Gas Spring Technology
- 360° monitor rotation, ± 35° tilting
- Available with both 75mm and 100mm VESA brackets
- Monitor weighing up to 9 kgs and 24"
- Constructed of aluminum, steel and translucent plastic
- Cable management
- Clamp and Grommet Parts supplied together

FAML10-302D

- Colour: Silver
- Type: Grommet and Clamp
- Double monitor support with two arm stretch
- Gas Spring Technology
- 360° monitor rotation, ± 35° tilting
- Available with both 75mm and 100mm VESA brackets
- Monitor weighing up to 9 kgs and 24"
- Constructed of aluminum, steel and translucent plastic
- Cable management
- Clamp and Grommet Parts supplied together

Pure design, Smart look,
Durability

1 The 100x100/75x75 VESA plate

2 The Quick-release & Anti-Theft mechanism

3 The Weight Indicator

4 The Cable Clip

5 The Tension Controller

6 The Cable Management

7 The Tool Storage

8 The 150° stop mechanism

Dynafly

LCD Monitor Arm

The Dynafly monitor arm comes the functionality and aesthetic design, offers the optimal ergonomic functions to users in today's office space. With a full range of adjustability, the multidirectional joints allow users to adjust monitor height, focal distance, and tilt angle easily. The innovative push-forward compressible spring mechanism plus tension controller, carries the screen weight range from 2.5kgs (5.5lbs) to 15kgs (33lbs) with easy adjustment, overwhelming any similar products on The market. Dynafly adds the necessary flexibility to adjust screens for a healthier, Safer, more convenient, and more comfortable work environment.

• The 100X100 / 75X75 VESA plate.
• High - capacity construction with modern aesthetic contemporary design.
• Unsurpassed screen weight range 2.5kgs (5.5lbs) ~ 15kgs (33lbs).
• Tension controller provides easy monitor balance adjustment.
• Combining of quick release and anti-theft system provide fast and easy monitor installation and effective theft prevention.
• 180° screen turning angle meets most advance IT trend.
• 150° stop mechanism avoids damage from over-rotation.
• Easy and convenient store of tools.
• Integrated cable management.

LCD/TV size	Max. Load Capacity	Pan	Rotation	Tilt	Swivel	VESA	Quick Release	Look (Anti-theft kit)
≤ 27"	15 kg (33 lbs)	150°	360°	+90° -40°	±40°	75x75mm 100x100mm	Yes	Option

LCD Monitor Arm

Spring Mechanism

80°

581

274

461

● FAMDF-202
● FAMDF-302

W152xD522xH274~581mm

● FAMDF-202DB
● FAMDF-302DB

W714xD595xH290~624mm

● Clamp Mount Type
● Grommet Mount Type

● FAMDF-202D
● FAMDF-302D

W841xD114xH101~475mm

● Clamp Mount Type
● Grommet Mount Type

Laptop Holder

FAMDF-A04 (for Dynafly Series)

W290~450xD372xH77

Wall Mount Type

FAMDF-102

W115xD450xH100~437mm

Slat Wall Mount Type

FAMDF-402

W115xD473xH83~417mm

80°

581

281

110

38

246

● Clamp Mount Type
● Grommet Mount Type

● FAMDC-202
● FAMDC-302

W115xD445xH102~581mm

● FAMDC-202D
● FAMDC-302D

W777xD114xH101~581mm

Easyfly
LCD Monitor Arm

iPad/Laptop Holder Plate
FAMDF-A05
(Can fit into all FAM Solutions monitor arms)
W290~450xD375xH161

The goal of LCD monitor arm is to create optimum comfortable and healthy living and working conditions. Great care and fastidiousness are placed in the details of our designs. This LCD monitor arm reviews a number of techniques for avoiding work-related, repetitive stress injuries, long-term incorrect postures & positions and enhancing both the comfort and productivity levels of the workers who adopt them.

Cable management   Height adjustment   Quick release   Anti-theft kit

- Clamp and Grommet mount type
- Ball joint design
- Aluminum Die-Casting profile
- Front end height adjuster as standard, 15cm travel distance
- Cable management
- Monitor quick release mechanism

LCD/TV size	Max. Load Capacity	Pan	Rotation	Tilt	VESA	Quick Release	Lock (Anti-theft kit)	Front end height adjuster
≤24"	12 kg (26.4 lbs)	180°	360°	±30°	75x75mm 100x100mm	Yes	Option	15 cm

Ergonomics Solution =Working Painlessly

Color

Silver

White

Black

● Clamp Mount Type
● Grommet Mount Type

● FAML3-200 ● FAML3-300
W124xD119xH251~423mm

● FAML3-201 ● FAML3-301
W124xD289xH251~423mm

● FAML3-202 ● FAML3-302
W124xD459xH281~453mm

● FAML3-201D ● FAML3-301D
W515xD119xH241~413mm

● FAML3-202D ● FAML3-302D
W855xD119xH271~443mm

● FAML6-200 ● FAML6-300
W124xD131xH240~412mm

● FAML6-201 ● FAML6-301
W124xD301xH241~413mm

● FAML6-202 ● FAML6-302
W124xD471xH270~442mm

● FAML6-201D ● FAML6-301D
W515xD131xH230~402mm

● FAML6-202D ● FAML6-302D
W855xD131xH259~431mm

● Clamp Mount Type
● Grommet Mount Type

Multi-monitors Solution

Butterfly
LCD Monitor Arm

The series of Multi-monitors offer the convenience of various usages. It also provides comfortable, ergonomics vision and complete cable management. It save the space and most suitable for stock market and securities.

Laptop Holder
FAMDF-A05
(for Butterfly Series)
W290~450xD375xH161

Cable management **Quick release** **Anti-theft kit**

- Clamp and Grommet mount type
- Ball joint design
- Aluminum Die-Casting profile
- Cable management
- Monitor quick release mechanism

LCD/TV size	Max. Load Capacity	Pan	Rotation	Tilt	VESA	Quick Release	Lock (Anti-theft kit)	Lift	Front end height adjuster
≤ 24"	12 kg (26.4 lbs)	180°	360°	±30°	75x75mm 100x100mm	Yes	Option	Manuel 15cm	Option

LCD Monitor Arm

- Clamp Mount Type
- Grommet Mount Type

● FAML-200 ● FAML-300
W124xD147xH461mm

● FAML-201 ● FAML-301
W124xD317xH461mm

● FAML-202 ● FAML-302
W124xD487xH461mm

● FAML-201D ● FAML-301D
W561xD159xH461mm

● FAML-202D ● FAML-302D
W901xD159xH461mm

● FAML-203T ● FAML-303T
W1241xD159xH461mm

● FAML-8024 ● FAML-8024G
W901xD159xH800mm

● FAML-8036 ● FAML-8036G
W1241xD159xH800mm

- Clamp Mount Type
- Grommet Mount Type

Slat Wall Mount

FAML-402D
W901xD116xH456~194mm

FAML-402
W124xD456xH194mm

FAML-401
W124xD286xH164mm

FAML-400
W124xD116xH163mm

Wall Mount

FAML-102
W124xD456xH194mm

FAML-101
W124xD286xH164mm

FAML-100
W124xD116xH163mm

Tool Bar System (FAMTB)

The Toolbar and Rail System is designed to maximize workstation space in multi-screen environments like financial trading rooms, call centers, and control centers. With display capabilities ranging from 3 to 8 monitors (up to 24").

This system allow for quick effortless monitor adjustments, which are ideal in ever changing work environments with shift changes where different teams utilize the same workstations.

Trading Floors Integration

The "Trimmer" - allow 24mm (1") travel distance to fine adjust monitors in same height

Post height adjustment

Cable clip

LCD/TV size	Max. Load Capacity	Pan	Rotation	Tilt	VESA	Quick Release	Lock (Anti-theft kit)
≤24"	12 kg (26.4 lbs)	180°	360°	±30°	75x75mm 100x100mm	Yes	Option

Single Deck / Three Monitors Application
Post high: 450mm   Rail size: 700+335mm

(Swivel Arm) FAMTB-4513W / FAMTB-4513WG
(Fixed Arm) FAMTB-4513 / FAMTB-4513G

Single Deck / Four Monitors Application
Post high: 450mm   Rail size: 1000+335mm

(Swivel Arm) FAMTB-4514W / FAMTB-4514G
(Fixed Arm) FAMTB-4514 / FAMTB-4514G

Double Decks / Six Monitors Application
Post high: 800mm   Rail size: 700+335mm

(Swivel Arm) FAMTB-8026W / FAMTB-8026WG
(Fixed Arm) FAMTB-8026 / FAMTB-8026G

Double Decks / Eight Monitors Application
Post high: 800mm   Rail size: 1000+335mm

(Swivel Arm) FAMTB-8028W / FAMTB-8028WG
(Fixed Arm) FAMTB-8028 / FAMTB-8028G

Clamp Mount Type / Grommet Mount Type

Tool Bar Back to Back

Single Deck / Four Monitors Application

700

Post high: 450mm
Rail size: 700mm

● FAMTB-4512D
● FAMTB-4512DG

Double Decks / Four Monitors Application

● Clamp Mount Type

● Grommet Mount Type

700

Post high: 800mm
Rail size: 700mm

● FAMTB-8024D
● FAMTB-8024DG

Single Deck / Six Monitors Application

335 700 335

700 50 335

Post high: 450mm
Rail size: 700+335mm

● FAMTB-4513D
● FAMTB-4513DG

Post high: 450mm
Rail size: 700+335mm

● FAMTB-4513DW
● FAMTB-4513DWG

Double Decks / twelve Monitors Application

335 700 335

700 50 335

Post high: 800mm
Rail size: 700+335mm

● FAMTB-8026D
● FAMTB-8026DG

Post high: 800mm
Rail size: 700+335mm

● FAMTB-8026DW
● FAMTB-8026DWG

Single Deck / Eight Monitors Application

335 1000 335

1000 50 335

Post high: 450mm
Rail size: 1000+335mm

● FAMTB-4514D
● FAMTB-4514DG

Post high: 450mm
Rail size: 1000+335mm

● FAMTB-4514DW
● FAMTB-4514DWG

Double Decks / Sixteen Monitors Application

335 1000 335

1000 50 335

Post high: 800mm
Rail size: 1000+335mm

● FAMTB-8028D
● FAMTB-8028DG

Post high: 800mm
Rail size: 1000+335mm

● FAMTB-8028DW
● FAMTB-8028DWG

Ergonomic & Effective Life

Rail System (FAMAR)

Post high: 450mm / Rail size: 700+335mm
Swivel Arm

450

700   335

- FAMAR-4513W
- FAMAR-4513WG

Single Deck / Four Monitors Application

Post high: 450mm / Rail size: 1000+335mm
Swivel Arm

460

1000   335

- FAMAR-4514W
- FAMAR-4514WG

Double Decks / Six Monitors Application

Post high: 800mm / Rail size: 700+335mm
Swivel Arm
Monitor Weight : 8kgs

800

700   335

- FAMAR-8026W
- FAMAR-8026WG

- Clamp Mount Type

- Grommet Mount Type

Rail Stand

FAMFS-4510

FAMFS-4520

FAMFS-4530

FAMFS-8020

FAMFS-8040

Keyboard Tray

FAMK-01

● Colour: Light Grey
● Material: Plastic

FAMK-01M

● Colour: Light Grey
● Material: Plastic

FAMK-821

● Friction track / 53.5 cm (21 inch) length
● Standard type / 5.5 inch length arm
● Sliding and 360° rotation
● No knob, lever or ratchet handle required to set keyboard tray height, knob used only to adjust keyboard tilt angle.
● 14.6 cm of height adjustment, ±15 degree of tilt adjustment
● MDF keyboard and metal mouse tray set
● Wrist rest has black leatheretted covering over a soft PU interior
● Steel frame coated black
● Meet ANSI/BIFMA x 5.5 standard

Laptop Stand / iPad Stand

An ergonomics design is the concept to solve the problem of users' inappropriate posture, with 6 options of visual height adjustment. Its adjustability increases the heat dispersal space and especially makes the design concise and portable.

● Aluminum material, slim design, foldable and portable

● Height and width adjustable

● Displays laptop at 6 different tilt positions for viewing comfort

● Neoprene material bag doubles as a mouse pad

FAMNB-100

FAMNB-100B

FAMNB-100G

FAMNB-100O

FAMNB-100W

FAMLT-01

● Colour: Black
● Type: iPAD/ Laptop holder plate
● Width 240~420mm x 300mm x Height 280mm
● Adjustable width
● Able to fit most laptops, Ipads, notebooks
● Can fit into all FAM Solutions monitor arms
● Constructed of aluminum, steel and translucent plastic

min240mm-max420mm

300mm

280mm

FAM-Nonporous

FAMST-01

Quick Release

Anti-theft kit

Tilt & rotation

Fine height adjustment

Folding keyboard tray

Height adjustable

Multiple desk clamp

Cable management

Features:
- Ergonomic sit & stand experience
- Monitor fast insert
- Keyboard tray can be folded up to save space
- Double desk clamps provide sturdy structure

Color

Most 13"-27"
Load 8kgs/17.6lbs
VESA 75x75, 100x100
Tilt -15°/+15°
Swivel 180°
Rotate 360°

FAMST-02

- Adjustable Height range - 150 to 500mm
- Loading Capacity – 15kgs
- Desktop Size – 860mm x 580mm
- Base Size – 790mm x 566mm
- Groove for Smart Phone or Tablet
- Color: Black
- Spring Mechanism for Multiple & Accurate Height Range

15 available options for height adjustment:
150mm-220mm-260mm-290mm-320mm-350mm-370mm-390mm
-410mm-430mm-450mm-470mm-480mm-490mm-500mm

STAND   SIT

TWO-TIER DESIGN
Expansive Upper Surface
Keyboard&mouse Deck

SPRING-ASSISTED
LIFTING MECHANISM

STABLE & SOLID
EVEN FULLY EXTENDED

DUAL-HANDLE DESIGN

FAMST-03

- Adjustable Height range - 150 to 500mm
- Loading Capacity – 15kgs (Worktop) 2kgs (Keyboard)
- Groove for Smart Phone or Tablet
- Color: Black
- Gas Spring Mechanism for Multiple and Accurate Height Range

Squeeze Handle
effortlessly adjust height.

Embedded Groove
holds most tablets and phones.

GAS SPRING
creates smooth and quick transitions.

Preset Hole
supports grommet installation (most monitor arms).

Lift up and down.
Just a touch.

Aluminum column with
the hidden lifting mechanism that provides
effortlessly height adjustable.

- Effortless Adjustable TV Height range – 400mm (Spring Assisted)
- TV Rotation 90° Tilting +5°~-12°
- Lockable Heavy Duty Castors
- Cable Management
- DVD Height Adjustment
- TV Maximum Load: 23Kgs
- Camera Rack
- Suggested Screen Size: 37''-70''
- Supports Vesa: 200X200, 400X200, 300X300, 400X400, 600X400mm

FAMTV-01

Tilt for an improved image
Possibility to tilt the screen to obtain the optimal viewing angle

Portrait or landscape viewing
90° rotation for easily holding display in portrait or landscape orientation

Independent Height Adjustment
Adjustable display/camera shelf/DVD shelf height for the desired position.

Quick Assembly
Space for accessories, freely adjustable in height

Cable Management
Internal cable management for a clutter-free appearance

Slim CPU Holder / FAMCP-400

(Track Mount)

FAMCP-400

Silver

FAMCP-410

(Fixed wall mount and
Fixed under desk mount)

- Stylish, modular design accommodates various CPU sizes.
- Height range adjusts in ¾ " (2 cm) increments.
- CPU stores below work surface to protect against dust and save workspace.
- Easy access to rear of CPU and under-desk storage.
- Anti-Theft lock kit option available.
- Sturdy steel construction.
- Multiple mounting options include fixed wall mount, fixed

Volume Range

Minimum

9.8" (250mm)
7.9" (200mm)
1.2" (30mm)

Maximum

18.5" (470mm)
18.9" (480mm)
8.7" (220mm)

Mounting Options:

Wall / Side mount

Under desk mount

Track mount

3 side support locations
accommodate CPU sizes

2 bottom plate locations
accommodate CPU sizes

360° swivel easy access
to back CPU

Anti-theft kit
(FAMCP-401)

CPU Holder / FAMCP-100 Series

- 40cm (16") track length provides CPU in/out adjustment.
- 360° swivel for easy access to cable management.
- Easy height and width adjustment to hold most CPU sizes.
- CPU stores below work surface to protect against dust and save workspace.
- Easy access to rear of CPU and under-desk storage.
- Anti-Theft lock kit option available.
- Sturdy steel construction.

Volume Range

Minimum

11.8" (300mm)
9.8" (250mm)
5.3" (135mm)

Maximum

20.6" (525mm)
19.8" (500mm)
9.6" (240mm)

FAMCP-100

FAMCP-200

Silver

Accommodates the
various CPU sizes

2 bottom plate locations
accommodate CPU sizes

Anti-theft kit
(FAMCP-401)

FAMCP-500

Color: Black

- Friction track
- Sliding and 360° rotation
- Height adjustable
- Width adjustable
- Max. loading 30kgs

450

Sliding extent: 300mm

150mm Height Adjustable

360 Degree Revolvable

FAMCP-700

Color: Black

- Mobile CPU Holder
- Come with Mobile Castors
- Minimum size: (H) 260 x Depth 280 x (L) 180
- Maximum size: (H) 260 x Depth 280 x (L) 260

FAMDP-600 (600mm Length)
## FAMDP-750 (750mm Length)

Color: Black

- Imported PU Leather
- 2 sizes: 600 x 350 x 2.5 mm
  750 x 450 x 3.0 mm
- Folded hem design to fit nicely onto desk
- High mouse sensitivity

Under Cabinet Task Light

FAMTL-102

- LED Aluminium Frame
- Slim Design
- Length: 550 mm / 55 cm
- 240 cm power cable
- 12 Volts
- Consumption: 6W

- Colour Temperature: Cool with 6000 ~ 6500K
- Material: Aluminium and Plastic
- UK 3 pin plug
- On / Off Touch Sensor
- 2 Years Warranty
- Optional: Magnet to mount on steel cabinets

Magnetic Mounts

Wood Screws

Touch Sensor

1.75 cm

55 cm

1.55 cm

Flip-Up Box (Come with Soft closing and Brush)

FAMFUB-300

(L) 300 x (D) 127 x (H) 28 mm
Open Size: 295 x 113 mm

FAMFUB-400

(L) 400 x (D) 127 x (H) 28 mm
Open Size: 395 x 113 mm

## FAMFUB-500

(L) 500 x (D) 127 x (H) 28 mm
Open Size: 495 x 113 mm

FAMFUB-500D

(L) 500 x (D) 150 x (H) 37 mm
Open Size: 485 x 136 mm

- Material: Aluminum
- Color: Silver

Come with soft closing

Aluminum die-casting

Black brush

Open both sides
Suitable for meeting table

FAMPS-100

- Type: Clamp
- Colour: White
- 2 x power modules, and 2 x USB chargers
- 3m UK 3pin Cable
- Desk Clamp
- Aluminum body
- Singapore Safety Mark

FAMPS-200

- Type: Place on cable tray
- Colour: White
- 2 x power modules, and 2 x USB chargers
- 3m UK 3pin Cable
- Singapore Safety Mark
- Optional: Connector Cable

FAM-1101S

- Colour: Silver
- LED
- Touch on/off
- No flicking, blinking and No UV
- No Mercury used
- 10W LED power consumption
- Voltage: 100-240 VAC 50/60HZ
- CCT: 4000-5700K
- CRI: 80
- Lumen: 850LM
- with CE & RoHS approval
- UK 3pin plug

67

265

67

176

77

20

46

67

FAM-1101M

Mode: Freestanding

75

258

575

41

191

241

206.5

- Colour: Silver
- LED
- Touch on/off
- 3 step dimmer function
- No flicking, blinking and No UV
- No Mercury used
- 10W LED power consumption
- Voltage: 100-240 VAC 50/60HZ
- CCT: 4000-5700K
- Lumen: 850LM
- with CE & RoHS approval
- UK 3pin plug

Mode: Grommet Type

Flylux (FAMTL)

LED Task Light

- LED: Nichia
- Voltage: 12V
- LED Power Consumption: 5W
- CCT: 4000K
- CRI: 85
- Lux: 1100 / 109fc
- Lumen: 900 lum
- Certification: CE No flicker and over layer shadow
- Warranty 2 years
- Single button with on/ off switch and 5 levels dimming control from 100% to 20%

145 mm

867 mm

26 mm

806 mm

Horizontal and vertical reach

130°
170°
Shade pivot

140°
Shade rotation

180°

180°

Desk Base and other Mounts

Clamp Type

Base Type

Slatwall Mount Type

Wall Mount Type

Panel Top Mount

FAMCS-1120

- Shape: Rectangular
- Metal Weight Base
- Ex Stock Color: Black, Silver
- Material: Imported ABS engineering plastic

❶

❷

68mm
36mm
42mm
Add or remove sections to vary the length

❸

1290mm

Insert Cables

# Mobile Pedestal 2D + 1F

FAMMMP-100W / FAMMMP-100

- Size: (W) 392 x (D) 570 x (H) 638 mm (with castors)
- One pencil tray and, file divider and 5 castors
- **Full metal mobile pedestal, including top**
- Ball bearing slide for 3rd file drawer
- Steel Thickness: 0.9 mm
- Colour: White or Silver
- **Curve Front**

Metal Mobile Pedestal with Numeric Lock

FAMMMP-200

- Size: (W) 392 x (D) 553 x (H) 645 mm
- **Flat Front with Numeric Lock**
- **Full metal mobile pedestal, including top**
- Ball bearing slide for 3rd file drawer
- One pencil tray and, file divider and 5 castors
- Colour: Silver
- 0.9mm thickness

FAMWMP-100

- Size: (W) 406 x (D) 450 x (H) 645 mm
- Material: Wood

- Colour:

A. White   B. Ivory   C. Light Grey   D. Dark Grey

E. Maple   F. Beech   G. Kirch   H. Cherry   I. Walnut

Lock

U Shape handle

62

Cable Management Series

FAMWT-360 / FAMWT-720

- Easily installed under the desk
- Managed your wires neatly with the cable basket
- Length: 360mm or 720mm

FAMTM-100

- Colours: White and Black
- Type: Clamp
- Premium Aluminum Tablet holder
- Suitable for 7-11" Tablets
- Come with security lock
- Dimensions: L628XW231XH129MM
- Rotate, Swivel, Extend and Tilt

360   360   180   240mm   165°   < 1.5kg   Table Thickness 20mm ~ 60mm   288mm

FAMWT-02

A (L) 800 x (W) 95 x (H) 130 mm
B (L) 1100 x (W) 95 x (H) 130 mm
C (L) 1400 x (W) 95 x (H) 130 mm
D (L) 1700 x (W) 95 x (H) 130 mm

FAMWT-01

(L) 500 x (D) 130 x (H) 150 mm

FAMCS-800

- Dimension [mm]: 800 x 75
- Shape: Oval
- Color: Silver
- Material: Imported ABS engineering plastic

63

FAMFT-100

Frame Size:

A (L) 1020 mm   C (L) 1620 mm
B (L) 1420 mm   D (L) 1820 mm

Material:

● Frame - Steel, Epoxy powdered coated
● Tabletop & Modesty - Melamine Wood

● Thick hot rolled steel frame
● Quality Epoxy Powder-Coated

● Nylon Castors with locking function

● Quality Spring Loaded Mechanism

FAMFT-300

● Colour: White or Black
● Slant Legs Folding Table with castors with locking function
● Frame Size Available to Support 1200mm, 1500mm and 1800mm Table Top
● Come With Modesty and Book Shelf

FAMFT-200

Frame Size:

A (L) 1100 mm   C (L) 1700 mm
B (L) 1400 mm   D (L) 1900 mm

Material:

● Frame - Steel, Chrome, Epoxy powdered coated
● Tabletop & Modesty - Melamine Wood

Simple no frills clip
Lock Mechanism

Nested Design

● Quality Epoxy Powder Coated
● Grade A Chrome Finishing
● Large Nylon Castors with locking or glider function

Folding / Training Table Accessories

FAMFT-001

● Colour: Black
● Connector to join folding table
● Easy clip on function
● Balances folding table

FAMFC-100

- Colour: Black, Red, Orange, Green, Blue
- Durable mesh back surface
- Ergonomic design for extra comfort
- Space efficient
- Optional: Tablet and Castor Wheels
- Internal Shell: Multilayer plywood
- Aluminum with sliver powder coated finishing

FAMFC-200

- Colour: Black, Red, Orange, Green, Blue
- Durable mesh back surface
- Ergonomic design for extra comfort
- Space efficient (Stackable)
- Optional: Castor Wheels
- Light weight steel leg frame

FAMLF-01

FAMLF-02

FAMLF-11

FAMLF-12

FAMLF-03

FAMLF-04

FAMLF-13

FAMLF-14

FAMLF-05

FAMLF-06

FAMLF-15

FAMLF-16

FAMLF-07

FAMLF-08

FAMLF-17

FAMLF-18

FAMLF-09

FAMLF-10

FAMLF-19

FAMLF-20

FAMLF-21

FAMLF-211

FAMLF-30

FAMLF-31

FAMLF-22

FAMLF-23

FAMLF-32

FAMLF-33

FAMLF-24

FAMLF-25

FAMLF-34

FAMLF-35

FAMLF-26

FAMLF-27

FAMLF-36

FAMLF-37

COLOR:

FAMLF-28

FAMLF-29

FAMLF-38

FAMLF-39

FAMLF-40

FAMLF-41

FAMLF-50

FAMLF-51

FAMLF-42

FAMLF-43

FAMLF-52

FAMLF-53

FAMLF-44

FAMLF-45

FAMLF-54

FAMLF-55

FAMLF-46

FAMLF-47

FAMLF-56

FAMLF-57

FAMLF-48

FAMLF-49

FAMLF-58

FAMLF-59

FAMLF-60

FAMLF-61

FAMLF-70

FAMLF-71

FAMLF-62

FAMLF-63

FAMLF-72

FAMLF-73

FAMLF-64

FAMLF-65

FAMLF-74

FAMLF-75

FAMLF-66

FAMLF-67

FAMLF-76

FAMLF-77

FAMLF-68

FAMLF-69

FAMLF-78

FAMLF-79

FAMLF-80

FAMLF-81

FAMLF-82

FAMLF-83

FAMLF-84

FAMLF-85

FAMLF-86

FAMLF-87

FAMLF-88

FAMLF-89

FAMLF-90

FAMLF-91

FAMLF-92

FAMLF-93

FAMLF-94

FAMLF-95

FAMLF-96

FAMLF-97

FAMLF-98

FAMLF-99

FAMLF-100

FAMLF-101

FAMLF-102

FAMLF-103

FAMLF-104

FAMLF-105

FAMLF-106

FAMLF-107

FAMLF-108

FAMLF-109

FAMLF-110

FAMLF-111

FAMLF-112

FAMLF-113

FAMLF-114

FAMLF-115

FAMLF-116

FAMLF-117

FAMLF-118

FAMLF-119

FAMLF-120

FAMLF-121

FAMLF-122

FAMLF-123

FAMLF-124

FAMLF-125

FAMLF-126

FAMLF-127

FAMLF-128

FAMLF-129

FAMLF-130

FAMLF-131

FAMLF-132

FAMLF-133

FAMLF-134

FAMLF-135

FAMLF-136

FAMLF-137

FAMLF-138

FAMLF-139

FAMLF-140

FAMLF-141

FAMLF-142

FAMLF-143

FAMLF-144

FAMLF-145

FAMLF-146

FAMLF-147